

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	10	(magnetic adj resonance) and (conductor with close near (loop or circuit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/25 08:06
S2	55	(magnetic adj resonance) and ((conductor or coil or antenna) with close near (loop or circuit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/25 08:19
S3	0	(magnetic adj resonance) and ((conductor or coil or antenna) with close-loop)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/25 08:19
S4	75	(magnetic adj resonance) and ((conductor or coil or antenna) same close near (loop or circuit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/25 13:44
S5	1	2000-492811.NRAN.	DERWENT	OR	ON	2007/09/25 08:24
S6	798	(magnetic adj resonance) and (inner near (conductor or coil or antenna))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/25 08:26
S7	788	(magnetic adj resonance) and (inner near (conductor or coil))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/25 08:28
S8	11	S7 and (close near (loop or circuit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/25 13:45
S9	4	("5143688"   "5153517"   "6320383").PN. OR ("6710598").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/25 09:04
S10	7	("6320383").URPN.	USPAT	OR	ON	2007/09/25 09:05
S11	1	US-5696449-\$	USPAT	OR	ON	2007/09/25 13:32
S12	36	("4680548"   "4692705"   "4752738"   "5045792"   "5050605"   "5365927"   "5473251").PN. OR ("5696449").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/25 09:06

S13	16	(US-6487436-\$ or US-5293519-\$ or US-7268554-\$ or US-7253622-\$ or US-6847210-\$ or US-6727698-\$ or US-6710598-\$ or US-6636040-\$ or US-5606259-\$ or US-5585721-\$ or US-4835472-\$ or US-6320383-\$ or US-5696449-\$ or US-6297636-\$ or US-6249121-\$). did. or (JP-2000185025-\$). did.	USPAT; DERWENT	OR	ON	2007/09/25 10:47
S14	7	S13 and (overlap\$3)	USPAT; DERWENT	OR	ON	2007/09/25 11:04
S15	0	US-20070159176-\$	USPAT	OR	ON	2007/09/25 13:33
S16	1	US-20070159176-\$	US-PGPUB; USPAT	OR	ON	2007/09/26 12:34
S17	4046	(magnetic adj resonance) and ((conductor or coil or antenna) same shield\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/25 13:44
S18	3387	(magnetic adj resonance) and ((conductor or coil or antenna) with shield\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/25 14:53
S19	43	S18 and (close near (loop or circuit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/25 13:45
S20	856	(magnetic adj resonance) and ((multiple or plurality or array or group or many) near (conductor or coil or antenna) and (("rf" or "r.f." or radio adj frequency or radiofrequency or coil or antenna or conductor) with shield\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/26 09:04
S21	766	(magnetic adj resonance) and ((multiple or plurality or array or group or many) near (conductor or coil or antenna) and (("rf" or "r.f." or radio adj frequency or radiofrequency or coil or antenna or conductor) near4 shield\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/25 15:01
S22	103	S21 and (conduct\$3 near2 path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/25 15:03

S23	170	(magnetic adj resonance) and ((multiple or plurality or array or group or many) near (conductor or coil or antenna or "rf" or "r.f." or radio adj frequency or radiofrequency) with shield\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/26 09:24
S24	625	(magnetic adj resonance) and ((multiple or plurality or array or group or many) near3 shield\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/26 09:26
S25	205	(magnetic adj resonance) and ((multiple or plurality or array or group or many) near shield\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/26 09:27
S26	29	S25 and (("rf" or "r.f." or radio adj frequency or radiofrequency) near shield \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/26 10:30
S27	18	(US-6487436-\$ or US-5293519-\$ or US-7268554-\$ or US-7253622-\$ or US-6847210-\$ or US-6727698-\$ or US-6710598-\$ or US-6636040-\$ or US-5606259-\$ or US-5585721-\$ or US-4835472-\$ or US-6320383-\$ or US-5696449-\$ or US-6297636-\$ or US-6249121-\$ or US-5867027-\$).did. or (JP-2000185025-\$ or JP-11239569-\$).did.	USPAT; DERWENT	OR	ON	2007/09/26 09:54
S28	15	S27 and (induc\$4 or capacit \$4)	USPAT; DERWENT	OR	ON	2007/09/26 10:22
S29	11	S27 and (inductance)	USPAT; DERWENT	OR	ON	2007/09/26 10:26
S30	14	S27 and (induct\$4)	USPAT; DERWENT	OR	ON	2007/09/26 10:27
S31	8	S27 and (inductor or inductnace)	USPAT; DERWENT	OR	ON	2007/09/26 10:27
S32	12	S27 and (inductor or inductance)	USPAT; DERWENT	OR	ON	2007/09/26 10:28
S33	5	S27 and ((inductor or inductance) with tun\$4)	USPAT; DERWENT	OR	ON	2007/09/26 10:28
S34	8	(magnetic adj resonance) and (("rf" or "r.f." or radio adj frequency or radiofrequency) near tun\$4 near5 (inductor or inductance))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/26 10:32

S35	2	(magnetic adj resonance) and (("rf" or "r.f." or radio adj frequency or radiofrequency) near tun\$4 near5 (inductor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/26 10:33
S36	4	(magnetic adj resonance) and (("rf" or "r.f." or radio adj frequency or radiofrequency) near tun\$4 with (inductor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/26 10:36
S37	47	(magnetic adj resonance) and (("rf" or "r.f." or radio adj frequency or radiofrequency or coil or antenna or conductor or transmit\$3 or traseiv\$3 or transmiss\$4) near tun\$4 with (inductor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/26 10:39
S38	2	("20040251457").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/09/26 12:34
S39	10239	(324/300-322).OCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/04/21 16:32
S40	8220	(600/410-435).OCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/04/21 16:32
S41	6213	(333/219-235).OCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/04/21 16:34
S42	1327	(343/725-730).OCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/04/21 16:35
S43	1105	(343/741-744).OCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/04/21 16:36
S44	828	(343/841-842).OCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/04/21 16:38
S45	7004	(343/850-873).OCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/04/21 16:39

S46	3857	(343/878-893).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/04/21 16:39
S47	1111	(343/904-906).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/04/21 16:40
S48	35938	S39 or S40 or S41 or S42 or S43 or S44 or S45 or S46 or S47	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/04/21 16:41
S49	481	S48 and ((multiple or plurality or array or group or many) near3 (conductor or coil or antenna or "rf" or "r. f." or radio adj frequency or radiofrequency or resonator) with shield\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/04/21 16:43
S50	10241	S48 and ((multiple or plurality or array or group or many) near3 (conductor or coil or antenna or "rf" or "r. f." or radio adj frequency or radiofrequency or resonator))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/04/21 16:44
S51	2478	S50 and ((conductor or coil or antenna or "rf" or "r.f." or radio adj frequency or radiofrequency or resonator) with shield\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/04/21 16:44
S52	58	S51 and (close near (loop or circuit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/04/21 16:45
S53	4661	S48 and ((multiple or plurality or array or group or many) near3 (conductor or coil or antenna or "rf" or "r. f." or radio adj frequency or radiofrequency or resonator)). clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/04/21 16:47
S54	495	S53 and ((conductor or coil or antenna or "rf" or "r.f." or radio adj frequency or radiofrequency or resonator) with shield\$3).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/04/21 16:47
S55	4	S54 and (close near (loop or circuit)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/04/21 16:48

S56	10243	(324/300-322).OCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/04/22 11:38
S57	8223	(600/410-435).OCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/04/22 11:38
S58	6214	(333/219-235).OCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/04/22 11:38
S59	1327	(343/725-730).OCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/04/22 11:38
S60	1106	(343/741-744).OCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/04/22 11:38
S61	829	(343/841-842).OCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/04/22 11:38
S62	7005	(343/850-873).OCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/04/22 11:38
S63	3858	(343/878-893).OCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/04/22 11:38
S64	1111	(343/904-906).OCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/04/22 11:38
S65	35949	S56 or S57 or S58 or S59 or S60 or S61 or S62 or S63 or S64	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/04/22 11:38
S66	10246	S65 and ((multiple or plurality or array or group or many) near3 (conductor or coil or antenna or "rf" or "r. f." or radio adj frequency or radiofrequency or resonator))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/04/22 11:38
S67	340	S66 and ((multiple or plurality or array or group or many) near3 shield\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/04/22 11:38

S68	330	S67 and ((conductor or coil or antenna or "rf" or "r.f." or radio adj frequency or radiofrequency or resonator) with shield\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/04/22 11:44
S69	258	S68 not (@ad>"20040210" or @rlad>"20040210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/04/22 11:48

4/ 23/ 08 3:36:47 PM

C:\Documents and Settings\DVargas\My Documents\EAST\Workspaces\10597777.wsp